

CHEMICALS Issued: 1 January, 2021
MANUFACTURERS OF HIGH PERFORMANCE CLEANING CHEMICALS Page 1 of 4

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: GRILLO Oven & Grill Cleaner

**Product Use:** Commercial grade oven and grill cleaning product.

Miro's General Cleaning Services P/L trading as ATOMIC CHEMICALS

A.C.N 005 300 201 / A.B.N 77 005 300 201

Factory 1 / 65 Bond Street West

Mordialloc Vic 3195

Telephone: 03 9580 2766 Fax: 03 9580 4922

Email: atomicchemicals@outlook.com Web: www.atomicchemicals.com.au

**Emergency Telephone Number: 13 11 26** 

# 2. HAZARDS IDENTIFICATION

GHS Classification: Skin Corrosion/Irritation, Category 1A

**Pictograms:** 

**Signal Word: DANGER** 

**Hazard Statements:** 

H314: Causes severe skin burns and eye damage

### **Precautionary Statements:**

#### **Prevention**

P264: Wash hands thoroughly after handeling.

P260: Do not breathe dusts or mists.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

# Response

P301+P330+P331: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Storage

P405: Store locked up.

#### **Disposal**

P501: Dispose of container in accordance with local/regional/national/international regulations.

CHEMICALS Issued: 1 January, 2021
MANUFACTURERS OF HIGH PERFORMANCE CLEANING CHEMICALS Page 2 of 4

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### **Ingredients**

<u>Chemical Name:</u>	<u>CAS Number:</u>	<u>Proportion %:</u>
Sodium Hydroxide	1310-73-2	10-30
Potassium Hydroxide	1310-58-3	<10
Monoethanolamine	141-43-5	<10
Triethanolamine	102-71-6	<10
Sodium Gluconate	527-07-1	<10
Surfactant (Propriety blend)	non-haz	<10
Dye	non-haz	Trace
Water	7732-18-5	>60

#### 4. FIRST AID MEASURES

**Poisons Information Centre: Phone 13 11 26** 

First Aid

Swallowed: Contact a doctor or Poisons Information Centre. Do not induce vomiting. Rinse mouth with

water and give glass of water. Never give anything by mouth to an unconscious person.

Eye: Immediately hold the eyes open and rinse continuously with plenty of water for at least 15

minutes and contact a doctor or Poisons Information Centre.

**Skin:** Remove any contaminated clothing and immediately wash contaminated skin with plenty of

water. If irritation occurs, seek medical attention.

**Inhaled:** Remove affected person to fresh air. Seek medical attention if effects persist.

First Aid Facilities: Eye wash station.

**Advice to Doctor:** Treat symptomatically, and as for strongly alkaline material.

#### 5. FIRE FIGHTING MEASURES

**Fire/Explosion Hazard:** Grillo is corrosive/ toxic fumes.

**Fire Fighting Procedures:** Normal fire-fighting procedures. Fire fighters to wear fully encapsulating,

gas-tight suits for maximum protection.

**Extinguishing Media:** Foam, CO2, Dry chemical or Water fog.

# 6. ACCIDENTAL RELEASE MEASURE

Spill Control: Contain large spills and mop up. Avoid contact to eyes. Use absorbent (soil or sand,

sawdust) material to collect. Slippery when spilt. Place in a suitable, labelled container for waste disposal. Do not let spilled or leaking material enter drains and waterways. May be

toxic to aquatic life.

### 7. HANDLING AND STORAGE

Handling and Storage: Store in a well-ventilated place out of direct sunlight.

Store away from acids, oxidising agents, combustible materials and foodstuffs. Keep containers closed at all times - check regularly for leaks. Transport and

store upright with vent at top.

**Segregation:** Store away from acids and oxidising agents.

# 8. EXPOSURE CONTROL / PERSONAL PROTECTION



CHEMICALS Issued: 1 January, 2021
MANUFACTURERS OF HIGH PERFORMANCE CLEANING CHEMICALS Page 3 of 4

**Exposure limits:** Sodium Hydroxide 2mg/m3 Peak limitation

Potassium Hydroxide 2mg/m3 Peak limitation Monoethanolamine 7.5mg/m3 TWA 15mg/m3 STEL

Sodium Gluconate 10mg/m3 TWA

Engineering Controls: Provide adequate ventilation. Avoid breathing vapour of product. Use with

adequate ventilation.

**Personal Protection:** Respiratory: If mists/vapours are not adequately controlled by local ventilation,

use an inorganic/organic vapour respirator to prevent overexposure.

Eye: Full wrap around Safety goggles

Skin: Impervious Long Nitrile Gloves / PVC Apron / Safety Shoes

When used to clean hot grills, ovens and ranges ensure canopy ventilation is

operating fully.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical Description/Properties**

Appearance/Odour: Clear fluorescent yellow liquid with faint odour.

Boiling Point/Melting Point: 100°C Vapour Pressure: Not determined

Specific Gravity: 1.30 Flashpoint: Not determined

Flammability Limits: Not determined

Solubility in Water: Complete Evaporation Rate: Not determined

pH: >13.0

### 10. STABILITY AND REACTIVITY

**Stability:** Stable

**Reactivity:** Avoid mixing with strong acids and oxidising agents.

# 11. TOXICOLOGICAL INFORMATION

**Health Effects:** *Acute:* Corrosive to all body tissue on contact.

Swallowed: Will cause: Corrosive damage to mouth, throat and stomach. Eye: Will cause: Chemical burns and/or Permanent eye damage.

Skin: Will cause: Chemical burns.

Inhaled: Will cause: Irritation and/or chemical burns to mucous membranes.

Health Effects: Chronic: None Known

### 12. ECOLOGICAL INFORMATION

**Volatile Organic Compounds:** This product is corrosive and poisonous in large concentrations.

May cause adverse effect in aquatic environment. Avoid contaminating

waterways, drains, sewers or ground.

# 13. DISPOSAL CONSIDERATION



CHEMICALS Issued: 1 January, 2021
MANUFACTURERS OF HIGH PERFORMANCE CLEANING CHEMICALS Page 4 of 4

**Disposal Method:** No special method. Observe all applicable governmental regulations and local

ordinances regarding disposal of hazardous materials.

# 14. TRANSPORT INFORMATION

**UN Number:** 1719 CAUSTIC ALKALI LIQUID N.O.S

Hazchem Code: 2R
Dangerous Goods Class and Subsidiary Risk: 8
Transport of Dangerous Goods: PGIII
Contains Sodium Hydroxide & Potassium Hydroxide

## 15. REGULATORY INFORMATION

**Poisons Schedule Number:** 6

AICS: All chemicals listed on the Australian Inventory of Chemicals Substances (AICS)

### 16. OTHER INFORMATION

LD50 (Acute Oral Toxicity): Corrosive.

LD50 (Acute Dermal Toxicity): Corrosive
Carcinogenicity: None Known
Teratogenicity: None Known

Mutagenecity: None Known

Fish Toxicity: Not determined

Biodegradability: The surfactants are biodegradable per the Australian standard AS1792.

### Abbreviations and Definitions of terms used:

< less than
> greater than
% percentage
deg C Degrees Celsius

g gram kg kilogram mg milligram

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Atomic Chemicals accepts no tortious or contractual liability for any loss or damages suffered as a consequence of reliance on the information and advice contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and local laws and regulations. Where health or safety data given discloses a risk to the user or environment, it is the responsibility of the Purchaser to pass on that information to employees or those who may be using the product, ensuring that adequate safety procedures are used including good industrial hygiene.