



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: POWERKLEEN

Product Use: Commercial cleaning and degreasing product.

Miro's General Cleaning Services P/L trading as ATOMIC CHEMICALS

A.C.N 005 300 201 / A.B.N 77 005 300 201

Factory 1 / 65 Bond Street West

Mordialloc Vic 3195

Telephone: 03 9580 2766

Fax: 03 9580 4922

Email: atomicchemicals@outlook.com

Web: www.atomicchemicals.com.au

Emergency Telephone Number: 13 11 26

2. HAZARDS IDENTIFICATION

GHS Classification: Skin Corrosion/Irritation, Category 1A

Pictograms:



Signal Word: DANGER

Hazard Statements:

H314: Causes severe skin burns and eye damage

Precautionary Statements:

Prevention

P264: Wash hands thoroughly after handling.

P260: Do not breathe dusts or mists.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P330+P331: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

P405: Store locked up.

Disposal

P501: Dispose of container in accordance with local/regional/national/international regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS



Ingredients

<u>Chemical Name:</u>	<u>CAS Number:</u>	<u>Proportion %:</u>
2-Butoxyethanol	111-76-2	<10
Sodium Metasilicate	6834-92-0	<10
C12-C14 Alcohol Ethoxylated	9002-92-0	<10
Sodium Xylene Sulphonate	1300-27-7	<10
Alkylbenzene Sulphonic Acid	27176-87-0	<10
Sodium Hydroxide	1310-73-2	<10
D-Limonene	2989-27-5	<10
Dye	non-haz	<0.1
Water	7732-18-5	balance

4. FIRST AID MEASURES

Poisons Information Centre: Phone 13 11 26

First Aid

Swallowed: Contact a doctor or Poisons Information Centre. Do not induce vomiting. Rinse mouth with water and give glass of water. Never give anything by mouth to an unconscious person.

Eye: Immediately hold the eyes open and rinse continuously with plenty of water for at least 15 minutes and contact a doctor or Poisons Information Centre.

Skin: Remove any contaminated clothing and immediately wash contaminated skin with plenty of water. If irritation occurs, seek medical attention.

Inhaled: Remove affected person to fresh air. Seek medical attention if effects persist.

First Aid Facilities: Eye wash station.

Advice to Doctor: Treat symptomatically. May cause chemical pneumonitis if vomiting occurs after ingestion.

5. FIRE FIGHTING MEASURES

Fire/Explosion Hazard: Powerkleen is not combustible.

Fire Fighting Procedures: Normal fire-fighting procedures. Fire fighters to wear fully encapsulating, gas-tight suits for maximum protection.

Extinguishing Media: Foam, CO₂, Dry chemical or Water fog.

6. ACCIDENTAL RELEASE MEASURES

Spill Control: Contain large spills and mop up. Avoid contact to eyes. Use absorbent (soil or sand, sawdust) material to collect. Slippery when spilt. Place in a suitable, labelled container for waste disposal. Do not let spilled or leaking material enter drains and waterways.

7. HANDLING AND STORAGE

Handling and Storage: Store in a well-ventilated place out of direct sunlight. Store away from acid, combustible materials and foodstuffs. Keep containers closed at all times - check regularly for leaks.

Segregation: Store away from acids and oxidizing agents.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure limits: 2-Butoxyethanol 25ppm ACGIH & NOHSC, TWA (skin)



Sodium Hydroxide 2mg/M3 ACGIH & NOHSC ,TWA (skin)

Engineering Controls: Provide adequate ventilation. Avoid breathing vapour of product. Use with adequate ventilation.

Personal Protection: Respiratory: If vapours are not adequately controlled by local ventilation, use an organic vapour respirator to prevent overexposure.

Eye: Wear safety glasses.

Skin: Avoid contact. Wear impervious gloves.

Flammability: Not applicable.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Description/Properties

Appearance/Odour: Red liquid with citrus odour.

Boiling Point/Melting Point: 100°C

Vapour Pressure: Not determined

Specific Gravity: 1.12

Flashpoint: Not determined

Flammability Limits: Not determined

Solubility in Water: Complete

Evaporation Rate: Not determined

pH: >13

10. STABILITY AND REACTIVITY

Stability: Stable

Reactivity: Avoid mixing with strong acids, oxidizing agent and strong alkalis.

Engineering Controls: Avoid inhalation of vapours and sprays. General room ventilation is normally adequate. Keep containers closed when not in use.

11. TOXICOLOGICAL INFORMATION

Health Effects: *Acute:* Corrosive to all body tissue on contact.

Swallowed: May cause: Corrosive damage to mouth, throat and stomach.

Eye: May cause: Chemical burns and/or Permanent eye damage.

Skin: May cause: Chemical burns. 2-Butoxyethanol is readily absorbed through the skin.

Inhaled: May cause: Irritation and/or chemical burns to mucous membranes.

Prolonged exposure may cause: Headache, Nausea.

Health Effects: *Chronic:* *Individuals with chronic respiratory disorders such as asthma, chronic bronchitis emphysema, etc., may be susceptible to irritating effects.*

12. ECOLOGICAL INFORMATION

Volatile Organic Compounds: This product is corrosive and poisonous in large concentrations.

May cause adverse effect in aquatic environment. Avoid contaminating waterways, drains, sewers or ground.

13. DISPOSAL CONSIDERATION

Disposal Method: No special method. Observe all applicable governmental regulations and local ordinances regarding disposal of hazardous materials.



14. TRANSPORT INFORMATION

UN Number: 1719
Hazchem Code: 2R
Transport of Dangerous Goods: PGIII
Dangerous Goods Class and Subsidiary Risk: 8

15. REGULATORY INFORMATION

Poison Schedule: 5

AICS: All chemicals listed on the Australian Inventory of Chemicals Substances (AICS)

16. OTHER INFORMATION

LD50 (Acute Oral Toxicity): Corrosive.
LD50 (Acute Dermal Toxicity): Corrosive
Carcinogenicity: None Known
Teratogenicity: None Known
Mutagenicity: None Known
Fish Toxicity: Not determined
Biodegradability: The surfactants are biodegradable per the Australian standard AS1792.

Abbreviations and Definitions of terms used:

<	less than
>	greater than
%	percentage
AICS	Australian Inventory of Chemical Substances
deg C	Degrees Celsius
g	gram
kg	kilogram
LD50	The does (swallowed all at once) which is lethal to 50% of a group of test animals.
mg	milligram
miscible	A liquid that mixes homogeneously with another liquid
ppm	parts per million

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Atomic Chemicals accepts no tortious or contractual liability for any loss or damages suffered as a consequence of reliance on the information and advice contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and local laws and regulations. Where health or safety data given discloses a risk to the user or environment, it is the responsibility of the Purchaser to pass on that information to employees or those who may be using the product, ensuring that adequate safety procedures are used including good industrial hygiene.